

Commercial proposal

Compiled: 15.02.2022
Valid : 12 month
Author: Roman Tsubulsky

Dissoluon Analyzer for Tablets and Capsules RC-08D

DESCRIPTION

The Dissoluon Analyzer is used to measure the rate and degree of dissoluon of tablets and gelan capsules under laboratory condions. It has eight tanks and eight blades, of which six tanks and six blades are located in front, and the other two are at the rear. The main parts of this equipment rotate smoothly and exibly. All tanks and blades are made of stainless steel (SUS 316L).

The water ow is circulated by a magneec pump, distributes it evenly throughout the system, and the "water bath" maintains the same temperature. We provide detailed instrucons for adjusing the dissoluon analyzer. Before dispatch, dissoluon analyzers are tested in producon. Completeness and working capacity is guaranteed. We maintain a stock of parts and consumables in the warehouse. The price is indicated taking into account customs payments in Russia and delivery to the city of the client.

MANUFACTURER - CHINA



SPECIFICATIONS

Dissoluo analyzer for tablets and capsules "RC-08D"
Speed range: (20-200) rpm
Accuracy of rotaon speed: ± 2 rpm
Temperature of thermostang liquid: approximately + 45.0 °C
Temperature stability: ± 0.3 °C
Time at which the mer is set: 8 posions (1-999) min
Time accuracy: ± 0.5 min
Blade stopping me: ± 0.5 min
Time to stop the tank: ± 1.0 min
Power: 220V / 50Hz / 1200W or 110V / 60Hz / 1200W
Dimensions: 960mm x 520mm x 480mm
Size with packing: 1220mm x 660mm x 580mm
Weight: 75 kg
Weight with packing: 93 kg Weight with packing: 97 kg

 www.minipress.ru

ADDITIONAL INFORMATION

The main parts of this equipment rotate smoothly and flexibly. All tanks and blades are made of stainless steel (SUS316L). The water ow is circulated by a magne pump, distributes it evenly throughout the system, and the "water bath" maintains the same temperature. This device for dissolving tablets is equipped with automac temperature control, changes in speed and me. These parameters are set by the mer. They can be controlled using the buons. The results are displayed in the panel. The set values on the mer and the indicators during the operaon of the device can be displayed alternately. Automacs: auto-test, auto-diagnosis, auto-signal. The equipment can test itself and the signal automacally. The dissoluo parameters of the substances are stored in the equipment memory and can be displayed at any me. Time can be set on the mer for many posions. The alarm device automacally sends a signal to any posion of the mer and then the tester automacally moves to the next posion.

PRODUCTION TIME 30-40 DAYS
ESTIMATED DELIVERY TIME 30-40 DAYS

PRICE 5932,20 USD
VAT 1067,80 USD

VALUE 7000.00 USD

Payment is made in rubles to the account in Moscow at the rate of the RF Cental Bank

OUR SERVICES FOR CLIENTS:

1) TRAINING OF MEDICINE VERIFICATION TECHNOLOGY.

To all our customers who purchased equipment, we provide literature on the basics of encapsulation of powders. We carry out consultations by phone and by correspondence, we help to solve arising difficulties at manufacture on our equipment. We supply spare parts and consumables. We render services in the help on realization of the capsular equipment used.

2) WE COMPLETE PRODUCTION CAPSULES.

We have a wide range of additional equipment for capsule production. Upon customer's request, we will select a model of capsule filling equipment, granulators, powder mixers, dust removal equipment and capsule polishers, printers for printing logos on capsules, filling and packing equipment for gelatin capsules.

3) SPARE PARTS SUPPLY

We cooperate with manufacturers of automatic and semiautomatic capsulators and we are engaged in the supply of spare parts for any model of capsule machines purchased in our company.



Roman Tsibulsky

Owner and supervisor

ROMAN TSIBULSKY