

MINIPRESS.RU

Supplier of pharmaceutical equipment in Russia
Founded in 1999

RUSSIA, 115035, MOSCOW, 17 PIATNITSKAYA ST.

+7(495)364-38-08

info@minipress.ru

www.minipress.ru

Commercial proposal

Compiled:	15.02.2022
Valid:	12 month
Author:	Roman Tsibulsky


Filling and capping machine for glass boles XL-10

DESCRIPTION

Automac equipment for pouring liquids into penicillin boles, followed by capping with rubber stoppers and aluminum caps. Automated feeding of vials, stoppers and caps from storage bins. Doses of liquid from 5 to 30 ml. The capacity is 2500 boles per hour. Weight 300 kg. Made of high quality stainless steel.

We provide detailed instructions for setting up equipment for boling and capping. Before sending the machine to the customer, they are checked and tested in production. Rotang table for automac dispensing of vials is part of the design. Completeness and working capacity is guaranteed. We maintain a stock of parts and consumables in the warehouse. Price is indicated with the delivery to the city of the client.

MANUFACTURER - CHINA



SPECIFICATIONS

The machine for pouring and capping penicillin boles "XL-10"

Number of pumps: 1 pump

Maximum productivity: 2500 boles per hour

Penicillin boles (on request from 5 to 30 ml)

Dilution error: 0-2%

Accuracy of sealing and rolling: $\geq 99\%$

Power supply: 220V, 50Hz

Power: 1 kW

Overall dimensions: 1250mm x 1100mm x 1200mm

Weight: 300 kg

Weight with packing: 380 kg

 www.minipress.ru

ADDITIONAL INFORMATION

The system delivers empty penicillin boles individually to a rotating table that moves the vials to the filling unit. The machine fills one bole. Optical sensors monitor the presence of vials. If there is no vial - there is no filling. From the storage vibrating bins, rubber stoppers and aluminum caps are fed to the capping units, where the stopper closes the boles, and the aluminum caps are worn on top. Rolling of the caps takes place mechanically, using rotating heads. Ready boles are taken away by an additional conveyor belt. The machine is a filling device on the conveyor line for oral solution, which is used for filling, plugging, compressing penicillin boles in a volume of 5-30 ml. The filling and sealing operation is combined in this machine with its improved structure and compact structure. Great importance is attached to the stability of vials. To make a decision to purchase this equipment, we recommend sending photos and sizes of boles, stoppers and aluminum caps.

PRODUCTION TIME **30-40 DAYS**

ESTIMATED DELIVERY TIME **30-40 DAYS**

PRICE **11864,41 USD**

VAT **2135,59 USD**

VALUE 14000.00 USD

Payment is made in rubles to the account in Moscow at the rate of the RF Central Bank

OUR SERVICES FOR CLIENTS:

1) TRAINING WORK WITH FILLING AND CAPTING MACHINES.

To all our customers who have purchased equipment, we provide literature on the basics of boling and sealing liquids. We carry out consultaons by phone and by correspondence, we help to solve arising dicules at manufacture on our equipment. We supply spare parts and consumables. We render services in the help on realizaon of the equipment of pouring out and укнопрки second-hand.

2) WE COMPLETE PRODUCTION OF LIQUID FILLING.

We have a wide range of addional equipment for the preparaon of liquid products. At the request of the client, we will select a lling and capping model, equipment for srring liquids, machines for washing and sterilizing penicillin boles, labeling equipment.

3) SPARE PARTS SUPPLY

We cooperate with manufacturers of automac and semi-automac lling and capping machines for liquids, hand-held desktop lling machines and we supply spare parts for boling and capping equipment purchased from our company.



Roman Tsibulsky

Owner and supervisor

ROMAN TSIBULSKY