

Commercial proposal

Compiled:	15.02.2022
Valid:	12 month
Author:	Roman Tsibulsky

Machine for packing glue in aluminum tubes WJ-12

DESCRIPTION

Semi-automatic mechanical machine for packing glue in aluminum tubes in pharmaceutical, food and cosmetic production. The capacity is up to 30 tubes per minute. The diameter of the tubes used is 16-35 mm. Ideal for research laboratories and pilot production. We provide a full range of services: installation, training, start-up, repair. Simple mechanical design. Weight 250 kg. Instruction for use in English and Russian.

Complies with the GMP standard. We provide detailed instructions for setting up this model of the glue packing machine in aluminum tubes. Before sending the machine for production, completeness and working capacity is guaranteed. We maintain a stock of parts and consumables in the warehouse. Price is indicated taking into account customs payments in Russia and delivery to the city of the client.

MANUFACTURER - CHINA



SPECIFICATIONS

Semiautomac machine for packing cream and glue in aluminum tubes "WJ-12"

Number of stations for tubes: 16

Filling capacity: 2-30 grams, 50-75 grams, 30-150 grams

Dosing accuracy: $\leq \pm 2\%$

Capacity: 30 tubes per minute

Air: pressure 0,6-0,7 MPa, volume more than 0,2 m³ / min

Pipe diameter: 16-35 mm

Voltage: 220V

Power: 1.1 kW

Overall dimensions: 1130mm x 750mm x 1680mm

Weight: 220 kg

Weight with packing: 300 kg

 www.minipress.ru

ADDITIONAL INFORMATION

Semi-automac machine for filling with glue or cream of aluminum tubes. The automatic position of the tube can be automatically adjusted according to the label printed on the tube. The system of applying the expiration date and batch number is applied. There is also a mechanism for double clamping the edge of the tube. Used in the manufacture of cosmetics, medicines, food. The customer must provide dimensions and samples of tubes. The manufacturer makes plastic molds to fit the customer's aluminum tubes. The design is a rotating table with 16 holes, in each hole is installed a plastic cup for the diameter of the tube. The operator performs only one function - sets empty tubes in the glasses. Filling the tube, orienting the photo mark, clamping the edge and pushing out the finished tube automatically. Simple and clear dosage adjustment. If necessary, you can order sets of forms for all the tube sizes of interest. Clamp the edge of the tube is produced by pneumatic drive. The height of the pressure lips is adjusted to the height of the tube.

PRODUCTION TIME **30-40 DAYS**

ESTIMATED DELIVERY TIME **30-40 DAYS**

PRICE **11864,41 USD**

VAT **2135,59 USD**

VALUE 14000.00 USD

Payment is made in rubles to the account in Moscow at the rate of the RF Central Bank

OUR SERVICES FOR CLIENTS:

1) TRAINING TECHNOLOGIES FOR FILLING ADHESIVES OF ALUMINUM TUBES.

We can train you on our equipment before buying. Testing of materials. We provide consultations on the organization of production of aluminum tubes, with a full range of additional equipment and consumables.

2) WE COMPLETE LABORATORIES FOR PHARMACEUTICAL PRODUCTION.

We have mechanical machines for packing glue into aluminum tubes for the production of pilot batches of glue in Russia, which we provide to our customers. You can always contact us with your ideas and requests. Currently, the manufacturer of machines for aluminum tubes can offer equipment for automatic and semi-automatic use.

3) DELIVERY OF EQUIPMENT FOR PROCESSING ALUMINUM TUBES.

The products fully comply with the new GMP requirements. The production of machines for filling tubes is accompanied by strict quality control, verification of all documentation, well-organized after-sales service of equipment.

4) SPARE PARTS SUPPLY

The manufacturer can also offer a model of the machine for aluminum tubes, based on the goals and objectives of the customer. We will assist in the maintenance and repair of any equipment for filling and sealing tubes. Service center in Russia for the CIS countries.



Owner and supervisor

ROMAN TSIBULSKY